Universal Products

In the HVAC industry today time is money, particularly in the service department, and time lost is money lost. Every time your tech can't complete a job, you could lose money. Every time the tech has to head to the supply house, you could lose money. Every time the tech can't make it to that last call of the day because of extra trips to the supply house, you could lose money. Honeywell's Universal Product portfolio gives you more right parts for more right places. You and your techs complete more jobs, make fewer trips to the supply house, and can maximize your day—and your money.



The stocking recommendations included in this guide are shown by regional area, U.S. and Canada, and are averaged by product sales. They should be adjusted accordingly to your business size and needs.

RESIDENTIAL COMBUSTION UNIVERSAL PRODUCTS RECOMMENDED INVENTORY GUIDE									
Product	Universal	U.S. NorthEast	U.S. Mid-Atlantic	U.S. North-NW	U.S. South-SE	U.S. West	Canada Eastern	Canada Central - West	Direct Service Part Replacement (Gas
Line	Service Part	RECOMMENDED BRANCH INVENTORY							Valves)
lgnition Controls	S9200U1000	10	10	10	10	10	6	6	
	S8610U3009	24	24	24	12	12	24	24	
	S8910U3000	10	10	10	3	6	6	6	
	Y8610U4001	4	4	4	2	6			
	Y8610U6006	6	6	6	2	6	2	2	
lgnit- ers	Q3200U1004	20	20	20	20	20	20	20	
	Q3200U2002	6	6	6	6	6	6	6	
Warm Air Limit	ST9120U10011	12	12	12	6	6	12	8	
Thermo- couple	Q340A1090 (U.S.)	100	100	100	20	20	100	100	
	Q340A1439 (Canada)								
	VR8200A2322 (Canada)						6	10	
	VR8200H1236 (Canada)						12	12	
	VR8345M4302	12	12	12	6	8	8	12	VR8304M3509
									VR8304M4507
									VR8305M3506
	VR8300M4406	12	12	12	3	6	4	6	VR8300A4508
es									VR8300A3500
Gas Valves	VR8245M2530	3	3	6	2	2	6	8	VR8204A2076
as									VR8204M1091
5									VR8205A2024
	VR8345K4809	3	3	3	2	2	2	2	VR8205H1003
									VR8304H4503
	VR8345Q4563	2	2	2	NA	NA	1	2	VR8205Q2555 VR8304Q4511
									VR8304Q4511 VR8305Q4500
	VS820M1309	6	6	6	NA	3	4 (VS820A1054)	6 (VS820A1054)	VS820A1054
									VS820A1336
ی د	L7224U1002	18	18	2	NA	NA	12	8	V3020A1330
Hydronic Controls	W8735Y1000	6	6	2	NA	NA	6	4	
	W8735S1008	6	6	2	NA	NA	6	4	
Oii Con- trols	R7284U1004	10	10	4	NA	NA	12	4	
Universal Pilot Burners	Q314U1001	12	6	12	6	12	12	12	
	Q345U1005	12	6	12	6	12	12	12	
	Q348U1009	12	6	12	6	12	12	12	
	Q3451U1000	12	6	12	6	12	12	12	

Universal Pilot Burners

Honeywell has made replacing pilots easy with their new line of universal pilot burners. Now four pilots replace over 120 so you can finish the job on the first trip. Reduce costs and make more money with Honeywell Universal Pilots.

When selecting universal pilot burners for your next job, look for these Honeywell features:

- For use in Natural and LP applications
- · Peel-N-Seal Packaging label with cross reference and installation instructions on outside of packaging

Q314U1001 |

Standing Pilot

- Target-style pilot burner
- Three position adjustable hood



Comes with:

- Natural and LP orifices (BCR-18, BBR-10)
- Low BTU Hood with low BTU orifices (CAR-12, CAR-13, BBR-8)
- 1/4" and 1/8" compression fitting
- A mounting adapter bracket

Q345U1005

Intermittent Pilot

- Target-style pilot burner
- Three position adjustable hood



Comes with:

- Natural and LP orifices (BCR-20, BCR-18, BBR-12, BBR-11)
- 1/4" and 1/8" compression fitting
- A mounting adapter bracket

Q348U1009

Intermittent Pilot

• 1" Batwing-style pilot burner



Comes with:

- Natural and LP orifices (NE22, KF24, A26, KR14)
- 1/4" and 1/8" compression fitting
- A Mounting adapter bracket

Q3451U1000

Intermittent Pilot

- Target-style pilot burner with integral ignition lead
- Three position adjustable hood



Comes with:

- Natural and LP orifices (BCR-20, BCR-18, BBR-12, BBR-11, BCR-10)
- 1/4" and 1/8" compression fitting
- Igniter with 36" lead length.
- Igniter with 55" lead length and fiberglass sleeve

Universal Pilot Burners Cross Reference

Q345U1005 C	ross Reference				
Model Number	Hood Angle:	Orifice:	Gas Type	Compression Fitting	Auxiliary Bracket
Q345A1008	As Shipped (L) Left	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	No
Q345A1016	As Shipped (L) Left	Gray = BBR-12 (0.012 in.)	LP	As Shipped (1/4")	No
Q345A1024	(F) Front	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	No
Q345A1065	(F) Front	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	Yes
Q345A1156	(F) Front	As Shipped	NAT	As Shipped (1/4")	No
Q345A1305	(F) Front	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	Check Application
Q345A1313	As Shipped (L) Left	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	Check Application
Q345A1321	(K) Right	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	Check Application
Q345A1446	As Shipped (L) Left	Red = BBR-11 (0.011 in.)	LP	As Shipped (1/4")	Yes
Q345A1701	(F) Front	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	No
Q345A1750	(F) Front	Orange = BCR-18 (0.018 in.)	NAT	1/8"	No
Q345A1818	As Shipped (L) Left	Orange = BCR-18 (0.018 in.)	NAT	1/8"	No
Q345A2030	As Shipped (L) Left	As Shipped	NAT	As Shipped (1/4")	No
Q345A2055	(F) Front	As Shipped	NAT	As Shipped (1/4")	No
Q345A2196	As Shipped (L) Left	As Shipped	NAT	As Shipped (1/4")	Yes
Q345A2360	As Shipped (L) Left	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	No
Q345A2386	As Shipped (L) Left	Red = BBR-11 (0.011 in.)	LP	As Shipped (1/4")	No
Q345A2402	As Shipped (L) Left	As Shipped	NAT	As Shipped (1/4")	No
Q345A2816	As Shipped (L) Left	Orange = BCR-18 (0.018 in.)	NAT	As Shipped (1/4")	No
Q345A2824	As Shipped (L) Left	Gray = BBR-12 (0.012 in.)	LP	As Shipped (1/4")	No
Q345AFA	(F) Front	Check Application	Check Application	Check Application	Yes
Q345AFB	(F) Front	Check Application	Check Application	Check Application	No
Q345AFK	(F) Front	Check Application	Check Application	Check Application	No
Q345AKB	(K) Right	Check Application	Check Application	Check Application	No
Q345ALA	As Shipped (L) Left	Check Application	Check Application	Check Application	Yes
Q345ALB	As Shipped (L) Left	Check Application	Check Application	Check Application	No
Q345U1005	Check Application	Check Application	Check Application	Check Application	Check Application

Q348U1009 Cross Reference							
Model Number	Orifice	Gas Type	Compression Fitting	Auxiliary Bracket			
Q348A1002	As Shipped	NAT	As Shipped (1/4")	No			
Q348A1010	Brown = KR14 (0.014 in.)	LP	As Shipped (1/4")	No			
Q348A1101	As Shipped	NAT	As Shipped (1/4")	Yes			
Q348A1226	Blue = A26 (0.026 in.)	NAT	As Shipped (1/4")	No			
Q348A1275	White = KF24 (0.024 in.)	NAT	1/8"	No			
Q348A1333	As Shipped	NAT	1/8"	No			
Q348A1341	Brown = $KR14 (0.014 in.)$	LP	1/8"	No			
Q348AAA	Check Application	Check Application	Check Application	Yes			
Q348AAB	Check Application	Check Application	Check Application	No			
Q348U1009	Check Application	Check Application	Check Application	Check Application			

Colors refer to the color of the label on the bag.