

# Maintenance Chemicals

## Go with the

# PRO!



## Chemical Catalog



# MERCHANDISING & SUPPORT

When you join the DiversiTech chemical program you get a great looking product line for your store and complete merchandising support as well. The DiversiTech Chemical Merchandising Kit (Item # MKT-POP-CHEMGOND) is the easy way to create a great looking display in your store that will draw traffic and boost sales.



**Look at everything you receive in this kit:**



- Ceiling Spinner
- Gondola Header
- Triple-D Shelf Wobblers
- Quick Reference Guide Booklet
- Shelf strips
- Poster & Window Cling



# PLANOGRAMS

## 8' set

These planograms are the easy way to create a professional, comprehensive product set in your showroom. Each contains the most popular DiversiTech chemical products and makes it easy for your customers to find the right product fast. Use one of these planograms to drive chemical sales in your branch and turn your display into a profit center.



## 4' set



The new DiversiTech chemical line also features white outer cases with full color product labels that make an attractive in-store display even on their own.

COIL CLEANERS

**Pro-Red Plus™**

Pro-Red Plus™ Non-Acid Coil Cleaner and Brightener is an easy to use, concentrated, fast-acting product that foams and lifts away stubborn deposits from air-cooled condensers and coils. It removes tarnish and corrosion deposits, and leaves a bright clean shine on aluminum and copper coils.

Pro-Red Plus™ Non-Acid Coil Cleaner and Brightener cleans by chemical action. Its brightening properties are as effective as conventional acid coil cleaners, but Pro-Red Plus™ does not contain extremely toxic hydrofluoric acid. The vigorous foaming action eliminates the need for prolonged soaking, steam cleaning or scrubbing coils. Non-acid formula does not emit corrosive fumes, and will not rust ferrous metals.

PRO-RED+



| CATALOG NO.       | DESCRIPTION  | UOM | ORDER MULTIPLE |
|-------------------|--|-----|----------------|
| <b>PRO-RED+32</b> | Pro-Red Plus™ Cleaner and Brightener (non-acid) – 32 oz. bottle      | EA  | 12             |
| <b>PRO-RED+</b>   | Pro-Red Plus™ Cleaner and Brightener (non-acid) – 1 gallon container | EA  | 4              |
| <b>PRO-RED+5</b>  | Pro-Red Plus™ Cleaner and Brightener (non-acid) – 5 gallon pail      | EA  | 1              |

**Pro-Blue™**

The Pro-Blue™ is a heavy-foaming, alkaline-based coil cleaner which will assist in removing the build-up on your air-cooled condenser. Buy the Pro-Blue™ and help your condenser look as good as new.

PRO-BLUE



| CATALOG NO.        | DESCRIPTION   | UOM | ORDER MULTIPLE |
|--------------------|---|-----|----------------|
| <b>PRO-BLUE-32</b> | Pro-Blue™ Foaming Concentrate (non-acid) – 32 oz. bottle      | EA  | 12             |
| <b>PRO-BLUE</b>    | Pro-Blue™ Foaming Concentrate (non-acid) – 1 gallon container | EA  | 4              |
| <b>PRO-BLUE-5</b>  | Pro-Blue™ Foaming Concentrate (non-acid) – 5 gallon pail      | EA  | 1              |

**Triple-D™ Universal Coil Cleaner**

Triple-D™ is a Universal Coil Cleaner suitable for use on condenser *and* evaporator coils. Metal safe and does not attack aluminum or copper coil components, extending equipment life and diminishing potential for refrigerant leaks. Safe for rooftop units.

Triple-D™ is available in a package to fit any contractors needs – super concentrated liquid, pre-mixed trigger sprayer, convenient aerosol, and industry leading Granular Coil Cleaner. In liquid form, Triple-D™ is super concentrated. A single gallon of concentrate makes 75% more mixed coil cleaner than conventional concentrations. The liquid concentrate is also NSF Registered, assuring that it is safe as a cleaner in restaurants, hospitals, government institutions, and any food preparation area (rinse thoroughly after use). Triple-D™ is a safer, more versatile product than conventional acid or non-acid coil cleaners. One product does it all – truly a Universal Coil Cleaner.

TRIPLE-D



| CATALOG NO.          | DESCRIPTION                                       | UOM | ORDER MULTIPLE |
|----------------------|---|-----|----------------|
| <b>TRIPLE-D</b>      | Triple-D™ – 1 gallon concentrate                  | EA  | 4              |
| <b>TRIPLE-D-5</b>    | Triple-D™ – 5 gallon concentrate                  | EA  | 1              |
| <b>TRIPLE-D-AER</b>  | Triple-D™ – 19 oz. Aerosol                        | EA  | 12             |
| <b>TRIPLE-D-GRAN</b> | Triple-D™ – 1 lb. Granular                        | EA  | 12             |
| <b>TRIPLE-D-32</b>   | Triple-D™ – 32 oz. bottle – concentrate           | EA  | 12             |
| <b>TRIPLE-D-RTU</b>  | Triple-D™ – 1 quart trigger sprayer – pre-diluted | EA  | 12             |

**Pro-Yellow™**

Pro-Yellow™ is an easy to apply, non-acid coil cleaner and brightener. This effective formula quickly removes dirt and grime from outdoor coils and leaves them clean and bright. It's strong foaming action removes even stubborn deposits easily.

PRO-YELLOW



| CATALOG NO.          | DESCRIPTION                                  | UOM | ORDER MULTIPLE |
|----------------------|--|-----|----------------|
| <b>PRO-YELLOW-32</b> | Pro-Yellow™ (non-toxic) – 32 oz. bottle      | EA  | 12             |
| <b>PRO-YELLOW</b>    | Pro-Yellow™ (non-toxic) – 1 gallon container | EA  | 4              |
| <b>PRO-YELLOW-5</b>  | Pro-Yellow™ (non-toxic) – 5 gallon pail      | EA  | 1              |

**Pro-Brown™**

An ultra-high foaming formula that pulls out deeply embedded dirt. The fast, dual-action formula cleans and brightens. Pro-Brown™ is biodegradable and safer than foaming hydrofluoric acid cleaners.

PRO-BROWN



| CATALOG NO.         | DESCRIPTION  | UOM | ORDER MULTIPLE |
|---------------------|--|-----|----------------|
| <b>PRO-BROWN-32</b> | Pro-Brown™ Foaming Coil Cleaner – 32 oz. bottle      | EA  | 12             |
| <b>PRO-BROWN</b>    | Pro-Brown™ Foaming Coil Cleaner – 1 gallon container | EA  | 4              |
| <b>PRO-BROWN-5</b>  | Pro-Brown™ Foaming Coil Cleaner – 5 gallon pail      | EA  | 1              |

**Eco-Coil™ Environmentally Friendly Coil Cleaner**

Eco-Coil™ is an effective, environmentally friendly coil cleaner and brightener. Eco-Coil™ uses biodegradable, earth-friendly components to quickly clean away dirt and deposits. This formula is effective on both indoor and outdoor coils and cleans while protecting the environment from harsh chemicals.

ECO-COIL



| CATALOG NO.        | DESCRIPTION  | UOM | ORDER MULTIPLE |
|--------------------|--|-----|----------------|
| <b>ECO-COIL-32</b> | Eco-Coil™ Environmentally Friendly Coil Cleaner – 32 oz. bottle      | EA  | 12             |
| <b>ECO-COIL</b>    | Eco-Coil™ Environmentally Friendly Coil Cleaner – 1 gallon container | EA  | 4              |
| <b>ECO-COIL-5</b>  | Eco-Coil™ Environmentally Friendly Coil Cleaner – 5 gallon pail      | EA  | 1              |

**Pro-Green™**

The Pro-Green™ is a non-toxic, self rinsing evaporative coil cleaner which is a safe-to-use product on your evaporator coils. This coil cleaner can also be used on air-cooled condensers, electronic filters and fan blades.

PRO-GREEN



| CATALOG NO.         | DESCRIPTION  | UOM | ORDER MULTIPLE |
|---------------------|--|-----|----------------|
| <b>PRO-GREEN-32</b> | Pro-Green™ No Rinse (non-toxic) – 32 oz. bottle      | EA  | 12             |
| <b>PRO-GREEN</b>    | Pro-Green™ No Rinse (non-toxic) – 1 gallon container | EA  | 4              |
| <b>PRO-GREEN-5</b>  | Pro-Green™ No Rinse (non-toxic) – 5 gallon pail      | EA  | 1              |

DiversiTech produces the most complete line of industrial coolant and heat transfer products in the HVAC/R Industry. Our product line includes ProTek PG propylene glycol products formulated with food-grade corrosion inhibitors and ProTek EG ethylene glycol products for industrial applications. Both product groups are designed to provide freeze and burst protection and are formulated with inhibitors and antifoam agents to provide long-term stability against system corrosion and fouling.

### ProTek™ Closed Loop Heat Transfer Fluid

ProTek™ for closed loop water recirculation systems is a blue liquid. Available in three concentrations: original ProTek-100™, ProTek-50™, and ProTek-Plus™. Each concentration may be further diluted to alter freeze and burst temperatures. Refer to the technical data sheet for specific information.



| CATALOG NO.       | DESCRIPTION                   | GLYCOL/<br>WATER RATIO | UOM | ORDER<br>MULTIPLE |
|-------------------|-------------------------------|------------------------|-----|-------------------|
| <b>PG-50</b>      | ProTek-50™ – 1 Gallon Jug     | 35/65                  | EA  | 4                 |
| <b>PG-50-5</b>    | ProTek-50™ – 5 Gallon Pail    | 35/65                  | EA  | 1                 |
| <b>PG-50-55</b>   | ProTek-50™ – 55 Gallon Drum   | 35/65                  | EA  | 1                 |
| <b>PG-100</b>     | ProTek-100™ – 1 Gallon Jug    | 70/30                  | EA  | 4                 |
| <b>PG-100-5</b>   | ProTek-100™ – 5 Gallon Pail   | 70/30                  | EA  | 1                 |
| <b>PG-100-55</b>  | ProTek-100™ – 55 Gallon Drum  | 70/30                  | EA  | 1                 |
| <b>PG-PLUS</b>    | ProTek-Plus™ – 1 Gallon Jug   | 95/5                   | EA  | 4                 |
| <b>PG-PLUS-5</b>  | ProTek-Plus™ – 5 Gallon Pail  | 95/5                   | EA  | 1                 |
| <b>PG-PLUS-55</b> | ProTek-Plus™ – 55 Gallon Drum | 95/5                   | EA  | 1                 |

### ProTek-BG™ for Cast Iron Water Boilers

A red liquid boiler grade product formulated specifically with corrosion inhibitors necessary for use in water boilers.



| CATALOG NO.     | DESCRIPTION                 | GLYCOL/<br>WATER RATIO | UOM | ORDER<br>MULTIPLE |
|-----------------|-----------------------------|------------------------|-----|-------------------|
| <b>PG-BG</b>    | ProTek-BG™ – 1 Gallon Jug   | 70/30                  | EA  | 4                 |
| <b>PG-BG-5</b>  | ProTek-BG™ – 5 Gallon Pail  | 70/30                  | EA  | 1                 |
| <b>PG-BG-55</b> | ProTek-BG™ – 55 Gallon Drum | 70/30                  | EA  | 1                 |

### ProTek EG™

An inhibited ethylene glycol based heat transfer fluid designed for use in hydronic, chilled and closed water.



| CATALOG NO.  | DESCRIPTION                 | GLYCOL/<br>WATER RATIO | UOM | ORDER<br>MULTIPLE |
|--------------|-----------------------------|------------------------|-----|-------------------|
| <b>EG</b>    | ProTek EG™ – 1 Gallon Jug   | 95/5                   | EA  | 4                 |
| <b>EG-5</b>  | ProTek EG™ – 5 Gallon Pail  | 95/5                   | EA  | 1                 |
| <b>EG-55</b> | ProTek EG™ – 55 Gallon Drum | 95/5                   | EA  | 1                 |

### ProTek™ PG-AL – Safe for Aluminum Heat Exchangers

Universal heat transfer fluid. An inhibited heat transfer fluid that is safe for use in boilers and hydronic systems including aluminum heat exchangers. Operating range is -100°F to 190°F. ProTek™ PG-AL is an orange liquid.



| CATALOG NO.     | DESCRIPTION                    | GLYCOL/<br>WATER RATIO | UOM | ORDER<br>MULTIPLE |
|-----------------|--------------------------------|------------------------|-----|-------------------|
| <b>PG-AL</b>    | ProTek™ PG-AL – 1 Gallon Jug   | 70/30                  | EA  | 4                 |
| <b>PG-AL-5</b>  | ProTek™ PG-AL – 5 Gallon Pail  | 70/30                  | EA  | 1                 |
| <b>PG-AL-55</b> | ProTek™ PG-AL – 55 Gallon Drum | 70/30                  | EA  | 1                 |



PAN TREATMENTS/DISINFECTANTS

**Pro-Treat® 200 Economy Condensate Drain Pan Treatment**

Economical with 200 tablets per jar. Safe, non-corrosive, odor-free and 100% soluble. Approved for computer rooms. Convenient, easy-to-use tablet form provides prolonged cleaning action. Dosage: 3 tablets per 3 tons per month.



| CATALOG NO.         | DESCRIPTION  | UOM | ORDER MULTIPLE |
|---------------------|--|-----|----------------|
| <b>PROTREAT-200</b> | Pro-Treat® 200 Economy Drain Pan Treatment – 200 Tablets/Jar | EA  | 12             |
| <b>PROTREAT-217</b> | Pro-Treat® 217 Economy Drain Pan Treatment – 200 Tablets/Jar | EA  | 12             |

**Flow-Plus™ Condensate Pan Treatment**

A unique polymer formula that maintains condensate flow and prevents drain pan overflow. 100% active. Flow-Plus™ leaves no residue, no waste, and is nonclogging. Effective, long-term condensate activated release. Environmentally safe, non-toxic, and non-corrosive. Also economical with sizes to meet all tonnage requirements.



| CATALOG NO.          | EQUIPMENT TONNAGE |
|----------------------|-------------------|
| <b>FLOW-PLUS-25</b>  | 1/2 to 3 tons     |
| <b>FLOW-PLUS-200</b> | 1/2 to 3 tons     |
| <b>FLOW-PLUS-6</b>   | 3 to 5 tons       |
| <b>FLOW-PLUS-10</b>  | 5 to 20 tons      |
| <b>FLOW-PLUS-125</b> | 20 to 50 tons     |

| CATALOG NO.          | DESCRIPTION  | UOM | ORDER MULTIPLE |
|----------------------|--|-----|----------------|
| <b>FLOW-PLUS-25</b>  | Flow-Plus™ Condensate Pan Treatment – 25 Tabs/Jar      | EA  | 12             |
| <b>FLOW-PLUS-200</b> | Flow-Plus™ Condensate Pan Treatment – 200 Tabs/Jar     | EA  | 4              |
| <b>FLOW-PLUS-6</b>   | Flow-Plus™ Condensate Pan Treatment – 6 oz. Clamshells | EA  | 24             |
| <b>FLOW-PLUS-10</b>  | Flow-Plus™ Condensate Pan Treatment – 10 oz. Tubs      | EA  | 18             |
| <b>FLOW-PLUS-125</b> | Flow-Plus™ Condensate Pan Treatment – 1.25 lb. Tubs    | EA  | 8              |

**Pro-Treat® 152 King-Size Premium Condensate Drain Pan Treatment**

Economical, safe, effective king-size tablets last three times longer. Safe, non-corrosive, odor-free and 100% soluble. Computer room approved. Keeps drain pans and condensate lines clean and free flowing. Dosage: 1 tablet per 3 tons per 3 months.



| CATALOG NO.         | DESCRIPTION   | UOM | ORDER MULTIPLE |
|---------------------|---|-----|----------------|
| <b>PROTREAT-152</b> | Pro-Treat® 152 King-Size Premium Drain Pan Treatment – 12 Tablets/Jar | EA  | 6              |

**Pro-Treat® 350 Condensate Drain Pan Treatment**

Place a Pro-Treat® 350 tablet in a condensate drain pan and condensed moisture will slowly dissolve the tablet, thinly coating the pan surface to give prolonged cleaning action on sludge. Dosage: one or two tablets are recommended in each pan per month. For industrial use only!



| CATALOG NO.         | DESCRIPTION   | UOM | ORDER MULTIPLE |
|---------------------|---|-----|----------------|
| <b>PROTREAT-350</b> | Pro-Treat® 350 Condensate Pan Treatment – 100 Tablets per Jar | EA  | 24             |

**Pro-Treat® 161 Condensate Drain Pan Treatment**

Controls odors and eliminates condensate drain pan overflows and the resulting water damage. 100% soluble, easy-to-use, non-corrosive, and non-toxic. Use regularly to assure season-long, trouble-free condensate drain pan performance. Approved for computer rooms. Dosage: 2 tablets per 3 tons each month.



| CATALOG NO.         | DESCRIPTION  | UOM | ORDER MULTIPLE |
|---------------------|--|-----|----------------|
| <b>PROTREAT-161</b> | Pro-Treat® 161 Drain Pan Treatment – 100 Tablets/Jar | EA  | 12             |

**Sani C-N-D™ Coil and Drain Pan Disinfectant**

Sani C-N-D™ is an EPA registered disinfectant, fungicide, mildewstat and viricide. It is ready-to-use and assures consistent, effective results. Sani C-N-D™ destroys "dirty sock," mildew and other malodors.



| CATALOG NO.        | DESCRIPTION                                   | UOM | ORDER MULTIPLE |
|--------------------|---|-----|----------------|
| <b>SANI-CND-32</b> | Sani C-N-D™ Disinfectant – 32 oz. Container   | EA  | 12             |
| <b>SANI-CND</b>    | Sani C-N-D™ Disinfectant – 1 Gallon Container | EA  | 4              |
| <b>SANI-CND-5</b>  | Sani C-N-D™ Disinfectant – 5 Gallon Pail      | EA  | 1              |
| <b>SANI-CND-55</b> | Sani C-N-D™ Disinfectant – 55 Gallon Drum     | EA  | 1              |

**Pro-Treat® 151 Premium Condensate Drain Pan Treatment**

Pro-Treat® 151 premium tablets penetrate and help remove sludge that can plug drain pans and drain lines and foul humidifier pans. Kills odors associated with slime and sludge, minimizing maintenance problems from overflow and water damage caused by fouled pans, plugged traps, or drain lines. Tablets are 100% soluble, easy-to-use, and do not form any deposits in the pan or drain line. Approved for computer rooms. Dosage: 1 tablet per 3 tons each month. PROTREAT-151 is EPA registered.



| CATALOG NO.         | DESCRIPTION  | UOM | ORDER MULTIPLE |
|---------------------|--|-----|----------------|
| <b>PROTREAT-151</b> | Pro-Treat® 151 Premium Drain Pan Treatment – 100 Tablets/Jar | EA  | 12             |

**Flow-Plus™ Pump Treatment Tablets for Condensate Pumps**

A unique polymer pan treatment in tablet form for use exclusively in DiversiTech's condensate pump. The tablet dispensing drawer in the pump holds 3 tablets. A dosage lasts up to 3 months depending on the volume of condensate generated. Even when fully dissolved, the tablets provide a lasting treatment in the pump and downstream drain line. Provides long-lasting treatment that controls slime growth over time and can extend the life of the pump.



| CATALOG NO.         | DESCRIPTION   | UOM | ORDER MULTIPLE |
|---------------------|---|-----|----------------|
| <b>FLOW-PLUS-CP</b> | Flow-Plus™ for Condensate Pumps – 6 Tablets/Clamshell | EA  | 36             |

**ACCESSORIES**

**Pro-Bubble™ Leak Detector**

Easy-to-use, high-bubbling, viscoelastic blue leak detector. New improved formula.



PRO-BUBBLE-32

| CATALOG NO.          | DESCRIPTION  | UOM | ORDER MULTIPLE |
|----------------------|--|-----|----------------|
| <b>PRO-BUBBLE-32</b> | Pro-Bubble™ Leak Detector – 32 oz. bottle with Spray Top | EA  | 12             |

**Coil Guard™**

Ideally used in coastal areas, where salt air accelerates rust and decay. Highly recommended for use in all geographical areas to prolong the life of a unit. When applied properly, Coil Guard™ dries quickly and immediately resists salt spray, alcohol, acids, and soap solutions. Weather will not blacken it. Coil Guard™ has high dielectric properties and has no effect on heat transfer. Our blue tinted product is used to ensure complete coverage of coating.



CG-AER

| CATALOG NO.    | DESCRIPTION                        | UOM | ORDER MULTIPLE |
|----------------|------------------------------------|-----|----------------|
| <b>CG-AER</b>  | Clear Coil Guard™ – 20 oz. Aerosol | EA  | 12             |
| <b>CGB-AER</b> | Blue Coil Guard™ – 20 oz. Aerosol  | EA  | 12             |

**Radiant Leak Finder™**

Radiant color and viscous clinging formula exposes the smallest leaks. Freeze-protected – remains effective down to 0° F.



RLF-8

| CATALOG NO.  | DESCRIPTION                            | UOM | ORDER MULTIPLE |
|--------------|--|-----|----------------|
| <b>RLF-8</b> | Radiant Leak Finder™ – 8 oz. Container | EA  | 12             |

**Pan-Patch™**

Pan-Patch™ is a two part epoxy coating with antimicrobial additives designed for HVAC applications. It is a self leveling formula that is ideal in a damp or wet environment. Pan-Patch™ resists corrosion and stops pan leaks without replacing the pan. Light gray in color, one gallon covers about 160 square feet with 10 mil thickness.



PANPATCH

| CATALOG NO.         | DESCRIPTION                              | COVERAGE    | UOM | ORDER MULTIPLE |
|---------------------|--|-------------|-----|----------------|
| <b>PANPATCH-BAG</b> | Pan-Patch™ Pan Sealant – bag, pack of 10 | 8 sq. ft.   | PK  | 1              |
| <b>PANPATCH-32</b>  | Pan-Patch™ Pan Sealant – 1 quart         | 40 sq. ft.  | EA  | 9              |
| <b>PANPATCH</b>     | Pan-Patch™ Pan Sealant – 1 gallon        | 160 sq. ft. | EA  | 4              |

**Cool-Weld™ Heat Barrier Spray**

**NEW!**

Spray on thick gel formula that protects surfaces from heat and damage. Odorless, non-toxic gel coats rubber, plastic, and painted surfaces to shield them during welding or soldering.



COOLWELD-32

| CATALOG NO.        | DESCRIPTION                                      | UOM | ORDER MULTIPLE |
|--------------------|--|-----|----------------|
| <b>COOLWELD-32</b> | Cool-Weld™ Heat Barrier Spray – 32 oz. Container | EA  | 12             |





DiversiTech is North America's largest manufacturer of air conditioning condenser pads and a leading supplier of components and related products for the heating, ventilating, air conditioning, and refrigeration (HVACR) industry.

Headquartered in Atlanta, Georgia, DiversiTech manufactures a suite of products, which includes a wide range of mechanical, electrical, chemical, and structural parts for HVACR and electrical systems, and swimming pool installations. The company maintains manufacturing and distribution facilities in key U.S. locations, Europe, and in the Far East. DiversiTech has enjoyed a continued history of successful growth and has acquired industry-recognized brand names including Devco® Enterprises, Wagner® Manufacturing, The Black Pad®, Hef-T-Pad™ and Specialty Chemical.



LIT-CAT-CHEM  
©2010 DiversiTech Corporation

6650 Sugarloaf Parkway  
Duluth, GA 30097

678.542.3600  
800.995.2222  
678.542.3700 fax  
www.diversitech.com